

Rustler® (Model 37254-8) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	3725X	Battery expansion kit (allows for installation of taller multi-cell
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3727	battery packs) (Rustler®, Bandit, Stampede®)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	3727A	Battery hold-down plate (black)/ metal posts (2)/body clips (2) Battery hold-down plate (grey) / metal posts (2) / body clips (2)
2545	Bushings (plastic) (5x8x2.5mm) (4)	3731	Body mounts (front & rear)/ spacer, front/ body mount bracket, rear
1675	Bushings, self-lubricating (5x11x4mm) (14)		(2) (for clipless body mounting) (fits #3695 or 9495 transmission)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
	Body & Accessories	2735	Bumper (front)
1926	Antenna caps, vinyl (2)/ antenna spool	2735P	Bumper (front) (pink)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	3735	Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation)
3721-BLUE	Body, Rustler® (also fits Rustler® VXL), blue (painted, decals	3728	Lower chassis (black) (166mm long battery compartment) (fits
	applied) (assembled with front & rear body mounts for clipless	0.20	both flat and hump style battery packs)
3734-GRN	mounting) Body, Rustler® (also fits Rustler® VXL), green (painted, decals	3728A	Lower chassis (gray) (166mm long battery compartment) (fits both flat
0704-0111	applied) (assembled with front & rear body mounts for clipless		and hump style battery packs)
	mounting)	3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL
3721-GRN	Body, Rustler® (also fits Rustler® VXL), green (painted, decals	3629	into Bandit or Rustler®) Seal kit, receiver box (includes o-ring, seals, and silicone grease)
	applied) (assembled with front & rear body mounts for clipless	3639	Shock tower (front)
3734-ORNG	mounting) Body, Rustler® (also fits Rustler® VXL), orange (painted, decals	3638R	Shock tower (rear) (for clipless body mounting)
0704-01110	applied) (assembled with front & rear body mounts for clipless	9462X	Side plates, wheelie bar, blue (aluminum) (2)
	mounting)	9462	Side plates, wheelie bar, charcoal gray (aluminum) (2)
3721-ORNG	Body, Rustler® (also fits Rustler® VXL), orange (painted, decals	9462G	Side plates, wheelie bar, green (aluminum) (2)
	applied) (assembled with front & rear body mounts for clipless	9462A	Side plates, wheelie bar, orange (aluminum) (2)
3734-PINK	mounting) Body, Rustler® (also fits Rustler® VXL), pink (painted, decals	9462P 9462R	Side plates, wheelie bar, pink (aluminum) (2)
3734-FINK	applied) (assembled with front & rear body mounts for clipless	5185	Side plates, wheelie bar, red (aluminum) (2) Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
	mounting)	3729-BLK	Upper chassis (black)
3734-RED	Body, Rustler® (also fits Rustler® VXL), red (painted, decals applied)	3729-GRAY	Upper chassis (gray)
	(assembled with front & rear body mounts for clipless mounting)	4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3721-RED	Body, Rustler® (also fits Rustler® VXL), red (painted, decals	3677X	Wheelie bar mount (1) / hardware (blue)
	applied) (assembled with front & rear body mounts for clipless mounting)	3677A	Wheelie bar mount (1) / hardware (green)
2514	Decal sheet, racing sponsors	3677P	Wheelie bar mount (1) / hardware (pink)
3716	Decal sheets, Rustler®	3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
3730	Latch, body mount, front (1), rear (1)/ latch mounts, front (left & right)	9464	Wheelie bar mount (heavy duty)
0050	(for clipless body mounting)	2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for
9950 5185	Official Team Traxxas® racing decal set(flag logo/ 6-color)		LED light kit installation)
4974	Tires, rubber (2) (fits Traxxas® wheelie bar wheels) Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®,
3677X	Wheelie bar mount (1) / hardware (blue)	2670V	Rustler®, Bandit® series)
3677A	Wheelie bar mount (1) / hardware (green)	3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)
3677P	Wheelie bar mount (1) / hardware (pink)	3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®,
3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit		Rustler®, Bandit® series)
2070	series)	3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®,
3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)	20700	Rustler®, Bandit® series)
3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit	3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)
	series)	3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®,
3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®,		Bandit® series)
	Rustler®, Bandit® series)	9460	Wheelie bar, black (assembled)/ wheelie bar mount
3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)	9460X	Wheelie bar, black chrome (assembled)/ wheelie bar mount
3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,	4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
	Bandit series)	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®,	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
	Bandit® series)		axles (2)/ rubber tires (2)
4976 5186A	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/
3100A	axles (2)/ rubber tires (2)	0.404	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	9461T	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
	axles (2)/ rubber tires (2)	9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/
	Chassis & Attachments		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12	9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/
	BCS (with threadlock) (2)	0.4045	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9463	Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12	9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
0.4000	BCS (with threadlock) (2)	9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/
9463G	Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12	3-10 III	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9463A	BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12	9461	Wheels, wheelie bar, black (26mm (2), 18mm (2))
U-100A	BCS (with threadlock) (2)		Differential Components
9463P	Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12	2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit,
	BCS (with threadlock) (2)		Stampede®, Slash®)
9463R	Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
	BCS (with threadlock) (2)		Stampede®, Rustler®)

Dono 2	Buetlar®: TOTM 2 / CH- Badia (Madel 2725/ 9) Barta List
rage z	Rustler®: TQ™ 2.4 GHz Radio (Model 37254-8) Parts List

2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel	9136-GRN	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2388X 1647	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease	9136-ORNG	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
	Driveline Components	9136-RED	9181 upgrade kit)
3637	Axles (front) (2)	9130-KED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)		9181 upgrade kit)
1675	Bushings, self-lubricating (5x11x4mm) (14)	9180	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,
6743	Camber link set (plastic/ non-adjustable) (front &rear)	0400 BLUE	black (fits Rustler® 2WD or Stampede® 2WD)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	9180-BLUE	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Rustler® 2WD or Stampede® 2WD)
	9181, 9182 upgrade kit)	9180-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/		(fits Rustler® 2WD or Stampede® 2WD)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9180-GRN	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green (fits Rustler® 2WD or Stampede® 2WD)
9150-GRAY		9180-ORNG	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9180-RED	orange (fits Rustler® 2WD or Stampede® 2WD) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/	9100-KED	red (fits Rustler® 2WD or Stampede® 2WD)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	3638R	Shock tower (rear) (for clipless body mounting)
	9181, 9182 upgrade kit)	9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm
9150-ORNG			hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
	right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	0427 81 115	upgrade kit) Steering blocks, extreme becaused the blue (left 8 right)/ 3x36mm
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/	9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,		upgrade kit)
	9181, 9182 upgrade kit)	9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm
6828A	Differential output yoke assembly, extreme heavy duty (2) (left or		hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
	right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)	0407 ODN	upgrade kit)
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right)	9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,
	(fully assembled, ready to install)/ screw pin (1)		9181, 9182 upgrade kit)
6852X	Driveshaft assembly, rear, heavy duty (1) (left or right) (fully	9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/
40545	assembled, ready to install)/ screw pin (1)		3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,
1951R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler®/Stampede®)	0427 DED	9181, 9182 upgrade kit)
6751	Half shaft, internal splined (steel-spline constant velocity) (1)	9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182
1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/		upgrade kit)
	metal U-joints (4)	9196	Toe links (molded composite) (78mm center to center) (2) (assembled
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes		with hollow balls) (for use with #9180 or 9181 upgrade kit)
6853A	pins, dustboots, lube, and hardware)		Front Suspension & Steering
	Stiln avia assembly rear culter extreme heavy duty (1) (left or		mont ousponsion & otooring
0033A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)	2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
2754		3642	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6)
2754 6753	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1)	3642 3637	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2)
2754	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear)	3642 3637 5116	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2)
2754 6753	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with	3642 3637 5116 2530-BLK	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black)
2754 6753	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2)
2754 6753 9142	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray)
2754 6753	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Titrollo III Upprate (fit) Camber links, front (molded composite) (69mm center to center) (2)	3642 3637 5116 2530-BLK 2530-GRAY 2545	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2)
2754 6753 9142	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade
2754 6753 9142	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit)
2754 6753 9142 9195	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade
2754 6753 9142	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2754 6753 9142 9195	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/
2754 6753 9142 9195	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (5x8x2.5mm) (4) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
2754 6753 9142 9195 9194 9150	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136 9136-BLUE	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2754 6753 9142 9195 9195 9150 9150-BLUE	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (5x8x2.5mm) (4) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and
2754 6753 9142 9195 9194 9150	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136 9136-BLUE	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2754 6753 9142 9195 9195 9150 9150-BLUE	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26nm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136 9136-BLUE	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (black) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/3x26mm hinge pins (2)/3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/3x26mm hinge pins (2)/3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/3x26mm hinge pins (2)/3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/3x26mm hinge pins (2)/3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/
2754 6753 9142 9195 9196 9150-BLUE 9150-GRAY	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136 9136-BLUE	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/3x26mm hinge pins (2)/3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/3x26mm hinge pins (2)/3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/3x26mm hinge pins (2)/3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/3x26mm hinge pins (2)/3x15mm BCS (2) (for use with #9180 and
2754 6753 9142 9195 9195 9150 9150-BLUE	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26nm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136 9136-BLUE 9136-GRAY	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2754 6753 9142 9195 9196 9150-BLUE 9150-GRAY 9150-GRN	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136 9136-BLUE	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/3x26mm hinge pins (2)/3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/3x26mm hinge pins (2)/3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/3x26mm hinge pins (2)/3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/3x26mm hinge pins (2)/3x15mm BCS (2) (for use with #9180 and
2754 6753 9142 9195 9196 9150-BLUE 9150-GRAY	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26nm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136 9136-BLUE 9136-GRAY 9136-GRN 9136-ORNG	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2754 6753 9142 9195 9196 9150-BLUE 9150-GRAY 9150-GRN	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136 9136-BLUE 9136-GRAY	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2754 6753 9142 9195 9196 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26nm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136 9136-BLUE 9136-GRAY 9136-GRN 9136-ORNG	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, roange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2754 6753 9142 9195 9196 9150-BLUE 9150-GRAY 9150-GRN	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136 9136-BLUE 9136-GRAY 9136-GRN 9136-ORNG	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2754 6753 9142 9195 9196 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136 9136-BLUE 9136-GRAY 9136-GRN 9136-ORNG	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2754 6753 9142 9195 9196 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136 9136-BLUE 9136-GRAY 9136-GRN 9136-ORNG 9136-RED	Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2754 6753 9142 9195 9196 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, reange (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136-BLUE 9136-GRAY 9136-GRN 9136-ORNG 9136-RED 2742 3744X 3639 3743	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm) Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2754 6753 9142 9195 9196 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136-BLUE 9136-GRAY 9136-GRN 9136-ORNG 9136-RED	Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2754 6753 9142 9195 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 9136	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136 9136-BLUE 9136-GRAY 9136-GRN 9136-ORNG 9136-RED 2742 3744X 3639 3743 3743A	Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2754 6753 9142 9195 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 9136 9136-BLUE	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136-BLUE 9136-GRAY 9136-GRN 9136-ORNG 9136-RED 2742 3744X 3639 3743	Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2754 6753 9142 9195 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 9136	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, plue (left & right)/	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136 9136-BLUE 9136-GRAY 9136-GRN 9136-ORNG 9136-RED 2742 3744X 3639 3743 3743A	Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
2754 6753 9142 9195 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 9136 9136-BLUE	right) (assembled with internal-splined half shaft) Stub axle pins (4) Stub axle, rear, steel-splined constant velocity (1) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)	3642 3637 5116 2530-BLK 2530-GRAY 2545 1675 9195 9136-BLUE 9136-GRAY 9136-GRN 9136-ORNG 9136-RED 2742 3744X 3639 3743 3743A	Attachment screws, shock (3x12mm shoulder screws) (6) Axles (front) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) Bushings, self-lubricating (5x11x4mm) (14) Camber links, front (molded composite) (69mm center to center) (2) (assembled with hollow balls) (for use with #9180 or 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit) Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)

Page 3	Rustler®: TQ™ 2.4 GHz Radio (Model 37254-8) Parts	s List	
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	2545 3787	Bushings (plastic) (5x8x2.5mm) (4) Hardware kit, Bandit®/Stampede®/Rustler® (contains all
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	1747P	hardware used on Bandit®, Stampede®, or Rustler®) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182		Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10)
	upgrade kit)	1747 1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182	1747G 1747T	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
9137-GRAY	upgrade kit) Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
3137-GIVAT	hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182	1985 2742	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends, long (6)/ hollow ball connectors (6)
9137-GRN	upgrade kit) Steering blocks, extreme heavy duty, green (left & right)/	3739	Screw pin set (Rustler®/ Bandit/ Stampede®)
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	3965 2577	Screws, 2.5x8mm cap-head machine (6) Screws, 3x10mm button-head machine (hex drive) (6)
9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/	2587 2578	Screws, 3x10mm caphead machine (6) (no washer) Screws, 3x12mm button-head machine (hex drive) (6)
	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	2552	Screws, 3x12mm countersunk machine (6) (hex drive)
9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182	2593 2579	Screws, 3x14mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6)
2024	upgrade kit)	2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3631 3631X	Suspension arms (front) (2) Suspension arms, black, front, heavy duty (2)	2583 2591	Screws, 3x18 button-head machine (hex drive) (6) Screws, 3x23mm button-head machine (hex drive) (6)
3631A	Suspension arms, blue, front, heavy duty (2)	2575	Screws, 3x6mm button-head machine (hex drive) (6)
3631G	Suspension arms, green, front, heavy duty (2)	2554	Screws, 3x6mm caphead machine (hex drive) (6)
3631T 3631R	Suspension arms, orange, front, heavy duty (2) Suspension arms, red, front, heavy duty (2)	3932 2576	Screws, 3x6mm flat-head machine (hex drive) (6) Screws, 3x8mm button-head machine (hex drive) (6)
9142	Suspension pin set, extreme heavy duty, complete (front and rear)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
	(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with	2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2522	#9180, 9181, 9182 upgrade kit)	2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2532 9196	Tie bar, fiberglass (requires suspension pins, part# 2640) Toe links (molded composite) (78mm center to center) (2) (assembled	2743	Set (grub) screws, 3mm hardened (12) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,
	with hollow balls) (for use with #9180 or 9181 upgrade kit)		captured (4)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for		Stub axle pins (4)
	complete camber link set)	9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm		#9180, 9181, 9182 upgrade kit)
	(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)	3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
3139	Turnbuckles (62mm) (front tie rods) (2)	2746	Washers, 3x6mm metal (12)
3741A	Turnbuckles skirminum (blue specifical) sambar lipks from		
3/4 IA	Turnbuckles, aluminum (blue-anodized), camber links, front,		LED Lights
3741A	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	3791	LED Lights LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2)
3139A	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)		LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®)
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench		LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2)
	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front,	3795	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD
3139A	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	3795 3794	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®)
3139A	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2)	3795 3794 2263	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	3795 3794 2263	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®)
3139A 3741G	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front,	3795 3794 2263	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	3795 3794 2263 1726 2260	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set MOTORS & FORTONIOS Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3139A 3741G 3139G	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front,	3795 3794 2263	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G 3741T	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum	3795 3794 2263 1726 2260 3790 2053 2072A	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G 3741T 3139T	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	3795 3794 2263 1726 2260 3790 2053 2072A 2252	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G 3741T	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front,	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G 3741T 3139T 3741P	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light set, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G 3741T 3139T	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272 3785 3351R	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light set, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G 3741T 3139T 3741P	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front,	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272 3785 3351R 3725R	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G 3741T 3139T 3741P 3139P	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272 3785 3351R 3725R	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light set, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G 3741T 3139T 3741P 3139P	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272 3785 3351R 3725R	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G 3741T 3139T 3741P 3139P 3741X	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls)/wrench	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272 3785 3351R 3725R 2254 2253 2251	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G 3741T 3139T 3741P 3139P 3741X	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272 3785 3351R 3725R 2254 2253 2251 2271 2074	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G 3741T 3139T 3741P 3139P 3741X 3139X	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled wirod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled wirod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled wirod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled wirod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272 3785 3351R 3725R 2254 2253 2251 2271 2074 2075R	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G 3741T 3139T 3741P 3139P 3741X 3139X	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center)	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272 3785 3351R 3725R 2254 2253 2251 2271 2074	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G 3741T 3139T 3741P 3139P 3741X 3139X	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2)	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272 3785 3351R 3725R 2254 2253 2251 2271 2074 2075R 2075 2250	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G 3741T 3139T 3741P 3139P 3741X 3139X 3644 3643	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 59mm (78mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right)	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272 3785 3351R 3725R 2254 2253 2251 2271 2074 2075R 2075	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set
3139A 3741G 3139G 3741T 3139T 3741P 3139P 3741X 3139X 3644 3643 3745	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (assembled with rod ends and hollow balls)	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272 3785 3351R 3725R 2254 2253 2251 2271 2074 2075R 2075 2250	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set MOTORS & FIGUROTICS Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 600 brushless, metal gear (ball
3139A 3741G 3139G 3741T 3139T 3741P 3139P 3741X 3139X 3644 3643 3745	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (assembled with rod ends and hollow balls)	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272 3785 3351R 3725R 2254 2253 2251 2271 2074 2075R 2075 2250 2255 2250	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set MOTO'S & FORTONIOS Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof
3139A 3741G 3139G 3741T 3139T 3741P 3139P 3741X 3139X 3644 3643 3745	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/ wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (assembled with rod ends and hollow balls)	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272 3785 3351R 3725R 2254 2253 2251 2271 2074 2075R 2075 2250 2255	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set MOIOTS & FIGURO S Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) Gear adapter, fixed Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof Servo, digital high-torque 600 brushless, metal gear (ball
3139A 3741G 3139G 3741T 3139T 3741P 3139P 3741X 3139X 3644 3643 3745	39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls)/wrench Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 59mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	3795 3794 2263 1726 2260 3790 2053 2072A 2252 2272 3785 3351R 3725R 2254 2253 2251 2074 2075R 2075 2075 2250 2255 2280 2075X	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®) Y-harness, BEC to LED light set

Page 4	Rustler®: TQ™ 2.4 GHz Radio (Model 37254-8) Part	s List	
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
3355R	speed control mounting plate (part #3725)) VXL-3s Waterproof Electronic Speed Control (brushless)	2271 2074	Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2056 and 2075 waterproof servos)
3333IX	(fwd/rev/brake)	2074 2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage	2075	Servo, digital high-torque (ball bearing), waterproof
	detection, fwd/rev/brake)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),
	Radio System, Batteries & Chargers	2255	waterproof
2922X	3000mAh 7.2V 6-cell flat NiMH Battery, Power Cell	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2827X	3000mah 7.4v 2-Cell LiPo Battery	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2923X 2926X	3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell 3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2942X	3300mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell	2056	Servo, high-torque, waterproof (blue case)
2940X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell	6553X 6550X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with
2941X	3300mAh 8.4V 7-cell hump NiMH Battery, Series 3 Power Cell	0330X	#6551X GPS module)
2952X	4200mAh 7.2V 6-cell flat NiMH Battery, Series 4 Power Cell	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with
2950X 2951X	4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell 4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell		#6550X telemetry expander)
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery	6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/
2960X	5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell	6540	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1)
2961X	5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell	6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery		enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®
2976 2938X	AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®		Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
2930A	batteries to separate balance ports)	6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-
2943	Battery charge indicators, green (4), grey (4), blue (4)		channel (transmitter only)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517	6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-
2914	transmitter)	6530	channel (transmitter only) Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-
2983	Battery, Power Cell AA Alkaline (4) Battery/charger completer pack (includes #2969 2-amp NiMH	6550	channel (transmitter only)
2300	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH	6511	Traxxas® Link Bluetooth® module
	iD® battery (1))	6537	Wire retainers, gear cover/ 3x4mm BCS (2)
2984	Battery/charger completer pack (includes #2969 2-amp NiMH	3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage
	peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1))		detection, fwd/rev/brake)
2992	Battery/charger completer pack (includes #2970 iD® charger (1),		Ready-To-Race Model
	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))	37254-8	Rustler®: 1/10 Scale Stadium Truck with TQ™ 2.4 GHz radio system
2985-2S	Battery/charger completer pack (includes #2985 charger (1),		Rear Suspension
2260	#2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))	5116	
	RFC assembly (complete) (12.6 volts (3s.LiPo) maximum input		Ball bearings, blue rubber sealed (5x11x4mm) (2)
	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)	1675	Bushings, self-lubricating (5x11x4mm) (14)
2975			Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2)
2975 2972	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery	1675 9194	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit)
2972	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification	1675	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,
	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto	1675 9194 9150	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
2972	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification	1675 9194 9150	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/
2972 2973 2970	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification	1675 9194 9150	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,
2972 2973	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	1675 9194 9150	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/
2972 2973 2970 2981	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification	1675 9194 9150 9150-BLUE	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181,
2972 2973 2970	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	1675 9194 9150 9150-BLUE 9150-GRAY	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
2972 2973 2970 2981	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto	1675 9194 9150 9150-BLUE	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ Carriers, stub axle, rear, extreme heavy duty, green (left & right)/
2972 2973 2970 2981 2985 2982 6525	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander	1675 9194 9150 9150-BLUE 9150-GRAY	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
2972 2973 2970 2981 2985	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto	1675 9194 9150 9150-BLUE 9150-GRAY	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
2972 2973 2970 2981 2985 2982 6525 2971	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with
2972 2973 2970 2981 2985 2982 6525	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
2972 2973 2970 2981 2985 2982 6525 2971 2978	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos)	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with
2972 2973 2970 2981 2985 2982 6525 2971 2978 2053 2072A 2252	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
2972 2973 2970 2981 2985 2982 6525 2971 2978 2053 2072A 2252 2272	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo)	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
2972 2973 2970 2981 2985 2982 6525 2971 2978 2053 2072A 2252	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 3638R 3655P	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2)
2972 2973 2970 2981 2985 2982 6525 2971 2978 2053 2072A 2252 2272 2968X	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 3638R 3655P 3655R	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Sarriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Sarriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
2972 2973 2970 2981 2985 2982 6525 2971 2978 2053 2072A 2252 2272	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 3638R 3655P 3655R 3655G	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Sax1mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2)
2972 2973 2970 2981 2985 2982 6525 2971 2978 2053 2072A 2252 2272 2968X	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) Mount, temperature sensor (electric motors)/ wire tie/ thermal	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 3638R 3655P 3655R	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Sarriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Sarriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
2972 2973 2970 2981 2985 2982 6525 2971 2978 2053 2072A 2252 2272 2968X 2968 6535	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 3638R 3655P 3655R 3655G 3655C 3655T 3655L	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, left & right Suspension arms, orange, front/rear (left & right), heavy duty (2)
2972 2973 2970 2981 2985 2982 6525 2971 2978 2053 2072A 2252 2272 2968X 2968 6535	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 3638R 3655P 3655R 3655G 3655X 3655T	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear)
2972 2973 2970 2981 2985 2982 6525 2971 2978 2053 2072A 2252 2272 2968X 2968 6535	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 3638R 3655P 3655R 3655G 3655C 3655T 3655L	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2)
2972 2973 2970 2981 2985 2982 6525 2971 2978 2053 2072A 2252 2272 2968X 2968 6535 2912 2916	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 3638R 3655P 3655R 3655G 3655C 3655T 3655L	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Salter (left & right), heavy duty (2) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2)
2972 2973 2970 2981 2985 2982 6525 2971 2978 2053 2072A 2252 2272 2968X 2968 6535 2912 2916 6519 6552	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m) Receiver, micro, TQ 2.4GHz (3-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease)	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 3638R 3655P 3655R 3655G 3655X 3655X 3655L 9142	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
2972 2973 2970 2981 2985 2982 6525 2971 2978 2053 2072A 2252 2272 2968X 2968 6535 2912 2916 6519 6552 6526	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m) Receiver, micro, TQ 2.4GHz (3-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 3638R 3655P 3655R 3655C 3655X 3655L 9142	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
2972 2973 2970 2981 2985 2982 6525 2971 2978 2053 2072A 2252 2272 2968X 2968 6535 2912 2916 6519 6552 6526 6527	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m) Receiver, micro, TQ 2.4GHz (3-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 3638R 3655P 3655R 3655C 3655X 3655T 3655L 9142	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
2972 2973 2970 2981 2985 2982 6525 2971 2978 2053 2072A 2252 2272 2968X 2968 6535 2912 2916 6519 6552 6526	voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Communication link, telemetry expander EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2250, 2255 servos) Gear set, metal (for 2270 waterproof servo) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Power adapter, AC, USB-C (45W) (110 volt, North America only) Power cable, USB-C, 100W (high output), 5 ft. (1.5m) Receiver, micro, TQ 2.4GHz (3-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature	1675 9194 9150 9150-BLUE 9150-GRAY 9150-GRN 9150-ORNG 9150-RED 3638R 3655P 3655R 3655C 3655X 3655L 9142	Bushings, self-lubricating (5x11x4mm) (14) Camber links, rear (molded composite) (82mm center to center) (2) (assembled with hollow balls) (for use with #9180 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, black (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, green (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, red (left & right)/3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Shock tower (rear) (for clipless body mounting) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)

5036

5037

Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)

Servo case, aluminum (middle) (red-anodized) (for 2255 servo)

2254

2253

Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone)

Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)

Page 5	Rustler®: TQ™ 2.4 GHz Radio	(Model 37254-8)	Parts List
			,

029 038X	Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &	0705	Slipper Clutch Components
038	80 wt premium shock oils with spinning carousel rack) Spinning carousel rack	3793 5552X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ p
030	Shocks (Pro-level Aluminum)		4.0mm NL (1)/ 5.0mm NL (1))
CC 4		2554	Screws, 3x6mm caphead machine (hex drive) (6)
664 862	Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)	5556	Slipper pressure plate & hub (aluminum alloy)
JUL	(assembled with TiN shafts and springs) (front & rear) (4)		Spur Gears & Pinion Gears
660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6	3790	Gear adapter, fixed
	aluminum) (assembled with TiN shafts) w/o springs (2)	2416 1918	Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw
662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)	2419	Gear, 19-T pinion (48-pitch) / set screw
669		2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
	& washers (2) (Big Bore Shocks)	4728	Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw
942	(2)	4725 4676	Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 76-tooth (48-pitch) (for models with Torque Contro
742X 667	Rod ends, short (6)/ hollow balls (6) Shock cape aluminum (2) (Rig Rore Shocks)	4683	slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque Contro
362	Shock caps, aluminum (2) (Big Bore Shocks) Shock rebuild kit (for 2 shocks)	4003	slipper clutch)
64T	Shock shafts, hardened steel, titanium nitride coated (long) (2)	4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Contro
556T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)	4690	slipper clutch) Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slip
664	Shock shafts, steel, chrome finish (long) (2)		clutch)
656	Shock shafts, steel, chrome finish (xx-long) (2)		Steering Components
765	Silicone diaphragms (4)	2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore	2545	Bushings (plastic) (5x8x2.5mm) (4)
	Shocks)	9195	Camber links, front (molded composite) (69mm center to center) (
360	Springs, front (white) (progressive rate) (2) (for Slash big bore		(assembled with hollow balls) (for use with #9180 or 9181 upgradkit)
	shocks)	2742	Rod ends, long (6)/ hollow ball connectors (6)
859	Springs, rear (white) (progressive rate) (2) (for Slash big bore	3744X	Servo saver w/ adapters
	shocks)	3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine
	Shocks (Ultra Shocks)	0740	(2)/ draglink shoulder screws (chrome) (2)
765A	Body, Ultra Shock (long) (grey) (2)	3743 3743A	Steering bellcranks (I&r)/ draglink
66A 142	Body, Ultra Shock (XXL) (grey) (2)	3/43A	Steering bellcranks, drag link (blue-anodized 6061-T6 alumin 5x8mm ball bearings (4)/ hardware (assembled)
42	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	3743G	Steering bellcranks, drag link (green-anodized 6061-T6
742X	Rod ends, short (6)/ hollow balls (6)		aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
767	Shock caps (2)/ shock bottoms (2)	3743T	Steering bellcranks, drag link (orange-anodized 6061-T6
361	Shock caps (black) (4) (assembled with hollow balls)	3743P	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 alumin
767A 767G	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks) Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)	3743X	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminu
767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)	6845X	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo
767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)		spring retainer/servo horn, steering
767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)	9196	Toe links (molded composite) (78mm center to center) (2) (assem
362	Shock rebuild kit (for 2 shocks)	3139A	with hollow balls) (for use with #9180 or 9181 upgrade kit) Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)
664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)	3133A	(assembled w/ rod ends & hollow balls) (requires 5mm alumi
656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)		wrench #5477)
664	(2) Shock shafts, steel, chrome finish (long) (2)	3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2)
356	Shock shafts, steel, chrome finish (xx-long) (2)		(assembled w/ rod ends & hollow balls) (requires 5mm alumit wrench #5477)
642	Shoulder screws, Ultra Shocks (3x12) (6)	3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (
765	Silicone diaphragms (4)		(assembled w/ rod ends & hollow balls) (requires 5mm alumin
769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)		wrench #5477)
768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))	3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm alumi
758 458P	Springs (front) (2) Springs (front) (pink) (2)	3139X	wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)
158A	Springs (front) (white) (2)	0100A	(assembled with rod ends & hollow balls) (requires 5mm
758T	Springs, blue (front) (2)		aluminum wrench #5477)
757T	Springs, blue (rear) (2)		Suspension Linkage
158	Springs, front (black) (2)	9195	Camber links, front (molded composite) (69mm center to center) (
758A 757A	Springs, green (front) (2)	-	(assembled with hollow balls) (for use with #9180 or 9181 upgrad
57A 757P	Springs, green (rear) (2) Springs, pink (rear) (2)	0404	kit)
'57	Springs, rear (black) (2)	9194	Camber links, rear (molded composite) (82mm center to center) ((assembled with hollow balls) (for use with #9180 upgrade kit)
57	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ba
'58R	Springs, red (front) (2)		screws (2)
758X	Springs, white (front) (2)	5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
757X	Springs, white (rear) (2)	2742	Rod ends, long (6)/ hollow ball connectors (6)
760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers	5347	Rod ends, Revo® (large) with hollow balls (12)
762	& springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	3642 9142	Shoulder screws, Ultra Shocks (3x12) (6) Suspension pin set, extreme heavy duty, complete (front and rear
760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &		(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use v #9180, 9181, 9182 upgrade kit)
	springs) (2)	9196	Toe links (molded composite) (78mm center to center) (2) (assert
762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers &	0.00	

Page 6 Rustler®: TQ™ 2.4 GHz R	adio (Model 37254-8) Parts List
--------------------------------	---------------------------------

Page 6	Rustier®: 1Q''' 2.4 GHZ Radio (Model 3/254-8) Parts	5 LIST	
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)	6768X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3738A	•	6775X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for	3772X	Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3738	complete camber link set) Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm	3772X	Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM®
1937	(1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear	3771X	rated) Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, ribbed tires, foam inserts) (electric front) (2)
3139	camber links) (requires #2742 rod ends) Turnbuckles (62mm) (front tie rods) (2)	3771X	Tires & wheels, assembled, glued (2.8") (RXT black & satin wheels, ribbed tires, foam inserts) (electric front) (2)
2336	Turnbuckles, 78mm (optional rear camber rods) (2)	3772R	Tires & wheels, assembled, glued (2.8") (RXT black chrome
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	3771R	wheels, Alias® tires, foam inserts) (2WD electric rear) (2) (TSM® rated) Tires & wheels, assembled, glued (2.8") (RXT black chrome
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)		wheels, risbed tires, foam inserts) (electric front) (2) Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	6773X	(TSM® rated) Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon EXT tires, foam inserts) (4WD electric front/rear,
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6768	2WD electric front only) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM®
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	6775	rated) Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6764	electric front only) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT black wheels, Gravix® tires, foam inserts) (4WD electric front/rear, 2WD
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	6774	electric front only) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM®
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6773	rated) Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench	6764-BLKCR	electric front only) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT charcoal gray & black chrome wheels, Gravix® tires, foam inserts) (4WD electric
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6768G	front/rear, 2WD electric front only) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM®
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	6775G	rated) Tires & wheels, assembled, glued (2.8") (RXT green wheels,
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)		Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	6774G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
	Team Traxxas Items	6773G	Tires & wheels, assembled, glued (2.8") (RXT green wheels,
9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)		Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD
2514 9917	Decal sheet, racing sponsors Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)	6768A	electric front only) (2) (TSM rated) Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated
9950 9909	Official Team Traxxas® racing decal set(flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)	6775A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD
	Tires & Wheels	67744	electric front only) (2) (TSM rated)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	6774A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM®
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)		rated)
1675 5854	Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)	6773A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon EXT tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
1747P 3647	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	6774R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome
1747R	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)		wheels, Talon EXT tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	6773R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)		wheels, Talon EXT tires, foam inserts) (4WD electric front/rear,
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	3771A	2WD electric front only) (2) (TSM rated) Tires & wheels, assembled, glued (2.8")(All-Star black chrome
1647 2754	Silicone Grease	0// IA	wheels, Ribbed tires, foam inserts) (electric front) (2)
3770A	Stub axle pins (4) Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM® rated)	3773A	Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 left, 1 right)
3776	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (rear) (2) (TSM® rated)	3773	Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 Left, 1 Right)
3770	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias® tires, foam inserts) (electric rear) (2)	3776A	Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1
3771	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Ribbed tires, foam inserts) (front) (2)	5576R	right) Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)

Page 7	Rustler®: TQ™ 2.4 GHz Radio (Model 37254-8) Parts	s List	
6792	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
3778	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated)		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
5569	Tires, Alias 2.8" (rear) (2)/ foam inserts (2)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
5578	Tires, Anaconda® 2.8" (2)/ foam inserts (2)		includes premium handle (medium), travel pouch, hex drivers
5563	Tires, Ribbed 2.8" (front) (2)/ foam inserts (2)		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
4790R	Tires, Spiked 2.2 (R(2) (Soft Compound) w/inserts		2.5mm, 3.0mm), 1/4" drive
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) /		5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
	wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
5480X	Wheel wrench, splined, 17mm	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
5576	Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)	07.10	2.5mm), 1/4" drive
3772A	Wheels, All-Star 2.8" (black chrome) (electric rear)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)		2.5mm, 3.0mm), 1/4" drive
3772	Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only)	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1
3672	Wheels, chrome (2.2") (rear) (2)		Phillips, and #2 Phillips bits), 1/4" drive
3673	Wheels, chrome 2.2" (front) (2)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
3674	Wheels, dyable nylon 2.2" (rear) (2)		2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint
3675	Wheels, dyeable nylon 2.2 (front) (2)		wrench)
3774	Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
5572	Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2)		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
	Transmission Components		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,
4607			#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm
	Ball bearings (5x11x4mm) (8)		wrenches/ driver handle)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2)		Turnbuckles & Threaded Rods
3792	, ,	2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)
5478	Flat wrench, 8mm (blue anodized aluminum)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball
3790 3691	Gear adapter, fixed		screws (2)
3691A	Gearbox halves (L&R) (black) w/ idler gear shaft	5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
	Gearbox halves (L&R) (grey) w/ idler gear shaft	2742	Rod ends, long (6)/ hollow ball connectors (6)
5148 9492	Grease, white lithium	5347	Rod ends, Revo® (large) with hollow balls (12)
3696	Idler gear, 30-tooth/ idler gear shaft (steel)	2742X	Rod ends, short (6)/ hollow balls (6)
	Idler gear, steel (30-tooth)	3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm
9494 3793	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin		(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)	3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench		complete camber link set)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel	3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled wirod ends)/hollow balls (2)(See part 3741X for
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,	2720	complete camber link set)
	Stampede®, Rustler®)	3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for
9495	Pro Series Magnum 272R™ Transmission, complete (assembled)		complete camber link set)
	(fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)	1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear
	(requires #3731 for clipless body mounting)	1331	camber links)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/	3139	Turnbuckles (62mm) (front tie rods) (2)
	4.0mm NL (1)/ 5.0mm NL (1))	2336	Turnbuckles, 78mm (optional rear camber rods) (2)
2554	Screws, 3x6mm caphead machine (hex drive) (6)	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front,
3185X	Screws, 3x8mm washerhead machine (large head for motor mount)		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
10.17	(6)		wrench
1647	Silicone Grease	3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2)
5556	Slipper pressure plate & hub (aluminum alloy)		(assembled w/ rod ends & hollow balls) (requires 5mm aluminum
3195 3695	Top drive gear, steel (22-tooth) Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)	3741G	wrench #5477) Turnbuckles, aluminum (green-anodized), camber links, front,
			39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
	Traxxas Tools	24200	wrench
3433X	Body reamer (aluminum handle)	3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2)
3433	Body reamer (plastic handle)		(assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3436	Cap, body reamer	3741T	Turnbuckles, aluminum (orange-anodized), camber links, front,
3432	Scissors, curved tip	2.711	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
3431	Scissors, straight tip		wrench
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight:	3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum
	1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive		wrench #5477)
9720	and 8.0mm), 1/4" drive	3741P	Turnbuckles, aluminum (pink-anodized), camber links, front,
8720 8721	Speed bit handle, large (overmolded)		39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/
8721 8722	Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold)	0465=	wrench
0122	opeed on nandie, premium (rubber overmold)	3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

Page 8 Rustler®: TQ™ 2.4 GHz Radio (Model 37254-8) Parts List

3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:



(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM